


# Exemplos | Examples

- Exemplo 1 | Example 1#


Paciente feminina, 25 anos, assintomática. Ao ECG, apresenta ritmo sinusal regular, com **batimentos de escape** juncionais representados por complexos QRS normais, com FC 58 bpm.

*Female patient, 25 years old, asymptomatic. On the ECG, she presents a regular sinus rhythm, with junctional **escape beats** represented by normal QRS complexes, with HR 58 bpm.*



Paciente masculino, 17 anos, atleta, assintomático. Ao ECG, apresenta ritmo sinusal, com **batimento de escape juncional** representados por complexos QRS normais, com FC 60 bpm. Observa-se, também, presença de bloqueio atrioventricular de 2º grau Mobitz I, com ondas P bloqueadas após prolongamento progressivo do intervalo PR.

*Male patient, 17 years old, athlete, asymptomatic. On the ECG, it presents sinus rhythm, with a **junctional escape beat** represented by normal QRS complexes, with HR 60 bpm. The presence of Mobitz I second-degree atrioventricular block is also observed, with P waves blocked after progressive prolongation of the PR interval.*



---

Revision #4

Created 23 May 2025 13:50:46 by Gabriela Miana

Updated 13 October 2025 18:33:33 by Gabriela Miana