Bloqueio de ramo esquerdo | Left bundle branch block

- Definição | Definition
- Exemplos | Examples

Definição | Definition

O complexo QRS tem duração ≥ 120 ms. QRS com padrão rS/qS em V1 e ondas R empastadas em V5, V6 e DI.

The QRS complex lasts ≥ 120 ms. QRS with rS/qS in V1 and slurred R waves in V5, V6 and DI.

Exemplos | Examples

Exemplo 1 | Example #1

Paciente do sexo feminino, , 43 anos, com queixa de dor torácica e palpitações. Tem diagnóstico de hipertensão e de insuficiência cardíaca com fração de ejeção do ventrículo esquerdo (FEVE) preservada. Em uso de Losartana, Atenolol e Furosemida. Hipertensa ao exame físico (PA 150/100 mmHg). Ao ECG, apresenta QRS alargado, com rS/qS em V1 e ondas R empastadas em V5, V6 e DI, compatível com **Bloqueio de Ramo Esquerdo.**

43-year-old female patient presenting with chest pain and palpitations. She has diagnoses of hypertension and heart failure with preserved left ventricular ejection fraction (HFpEF). Current medications: losartan, atenolol, and furosemide. Hypertensive on physical examination (BP 150/100 mmHg). On ECG, she presents widened QRS with rS/qS pattern in lead V1 and slurred R waves in leads V5, V6, and DI, consistent with ***left bundle branch block.***

AD_4nXfDo4dNCDF83oLIAc5MMUgPf5JtqcwCqZ888aFo-TUmCK1vqzQ-E21ALYXZDGdHdZHv_06YLJM4

Exemplo 2 | Example 2

Paciente do sexo feminino, 70 anos. Demais dados clínicos não informados. Eletrocardiograma realizado de rotina. Ao ECG, apresenta QRS alargado, com rS/qS em V1 e ondas R empastadas em V5, V6 e DI, compatível com **Bloqueio de Ramo Esquerdo.** Observa-se, também, sobrecarga atrial esquerda.

70-year-old female patient. Additional clinical data not provided. Routine electrocardiogram performed. On ECG, she presents widened QRS with rS/qS pattern in lead V1 and slurred R waves in leads V5, V6, and DI, consistent with ***left bundle branch block.*** *Left atrial enlargement is also observed.*

AD_4nXcZ6YhyXF9l1dVw9WwP3p_Icj7Ue9QNSRUvunJc7quzdBj-tTYKb2t-MH1qe84c4vZR8NPUWYNe4