Bloqueio divisional anterossuperior do ramo esquerdo | Left anterior hemiblock

- Definição | Definition
- Definição | Definition

Definição | Definition

O complexo QRS tem duração < 120 ms), eixo elétrico ≥ - 45°, desviado para esquerda. Padrão qR em aVL.

The QRS complex has a duration < 120 ms), electrical axis ≥ - 45°, deviated to the left. qR pattern in aVL.

Definição | Definition

- Exemplo 1 | Example #1

Paciente feminina, 63 anos, com queixa de dor torácica. Tem diagnóstico de hipertensão arterial sistêmica. Ao ECG, apresenta ritmo sinusal regular, complexo QRS com duração de 98 ms (<120 ms), eixo elétrico em -49 graus, desviado para esquerda e padrão qR em aVL. Esses achados correspondem a **bloqueio divisional anterossuperior do ramo esquerdo.**

63-year-old female patient presenting with chest pain. She has a diagnosis of systemic arterial hypertension. On ECG, she presents normal sinus rhythm with QRS complex duration of 98 ms (<120 ms), electrical axis at -49°, showing left axis deviation, and qR pattern in lead aVL. These findings correspond to ***left anterior fascicular block.***

AD_4nXdYQcp6zoI-xgAzSmUtPE8rRMF5uXodonhLjMiY_9cdMh_XfNOS_t1s8eff-gtN3x4aOdEMg-isvO9A

- Exemplo 2 | Example #2

Paciente masculino, 57 anos, assintomático. Ao ECG, apresenta ritmo sinusal regular, complexo QRS tem duração de 106 ms (<120 ms), eixo elétrico mais negativo que -45 graus, desviado para esquerda e padrão qR em aVL. Esses achados correspondem a bloqueio divisional anterossuperior do ramo esquerdo.

57-year-old male patient, asymptomatic. On ECG, he presents normal sinus rhythm with QRS complex duration of 106 ms (<120 ms), electrical axis more negative than -45°, showing left axis deviation, and qR pattern in lead aVL. These findings correspond to ***left anterior fascicular block.***

AD 4nXdswFLakedm9reNRE-kCwlYem8TJmywbebL55ln UooQoYlhTcRqVXIteqQZNBXWet94EXkKkfe7