


Exemplos | Examples

- Exemplo 1 | Example 1

Paciente feminina, 23 anos, em avaliação pré anestésica. Tem diagnóstico de Trissomia do 21, dislipidemia, doença pulmonar obstrutiva crônica e hipertensão arterial sistêmica. Ao ECG, apresenta ritmo sinusal regular, com complexo QRS de duração 96 ms, normal, eixo elétrico em -161 graus, desviado para direita; aumento da amplitude da onda R em V1 e V2, ondas S profundas em V5 e V6, correspondendo a **sobrecarga ventricular direita**.


*A 23-year-old female patient undergoing a pre-anesthetic evaluation. She has been diagnosed with Trisomy 21, dyslipidemia, chronic obstructive pulmonary disease (COPD), and systemic arterial hypertension. On ECG, tracing shows regular sinus rhythm with QRS complex duration of 96 ms, electrical axis at -161 degrees, deviated to the right; increased amplitude of the R wave in leads V1 and V2, deep S waves in leads V5 and V6, corresponding to **right ventricular enlargement**.*



- Exemple 1 | Example 2#

Paciente feminina, 35 anos, em avaliação pré-anestésica. Ao ECG, apresenta ritmo sinusal regular, com aumento da amplitude da onda R em V1 e V2, ondas S profundas em V5 e V6 e desvio para direita do eixo de QRS, compatível com **sobrecarga ventricular direita**.

*A 35-year-old female patient undergoing a pre-anesthetic evaluation. On ECG, tracing shows regular sinus rhythm with increased amplitude of the R wave in leads V1 and V2, deep S waves in leads V5 and V6, and a rightward deviation of the QRS axis, corresponding to **right ventricular enlargement**.*



Revision #5

Created 23 May 2025 13:09:08 by Gabriela Miana

Updated 12 October 2025 22:20:08 by Gabriela Miana